


ASSEMBLY INSTRUCTION KELLER 3 SEATER SOFA ITEM CODE 60357

Imported by Amart Furniture Pty Ltd,Qld,Brisbane Australia. For any assistance with assembly or for missing parts please phone Amart Furniture Ewing Road,Customer Service Free call 1800 351 084




Imported by Amart Furniture Pty Ltd,Qld,Brisbane Australia. For any assistance with assembly or for missing parts please phone Amart Furniture Ewing Road,Customer Service Free Call 1800 351 084


PRE-ASSEMBLY PREPARATION


Before you start:

- 1. Choose a clean,level,spacious assembly area. Avoid hard surfaces that may damage the product
- 2. Take care when lifting. Product be assembled as near as possible to the point of use
- 3. Ensure that you have all required contents for complete assembly
- 4. Always read the assembly instructions carefully before beginning assembly
- 5. Keep all hardware parts and packaging out of small children
- 6. Do not over tighten the screws and bolts as this may damage the threads




PARTS LIST






Attach leg(D) to base frame(A) ,using bolt(H) with flat washer(F) and spring washer(G),then fasten by allen key(E).With 2 people carefully turn over





STEP 2:




STEP 3:







ASSEMBLY IS COMPLETE



Do not drag sofa on any surface, must be lifted.

CARE AND MAINTENANCE

FABRIC CARE

REGULAR CARE: PROTECT FROM DIRECT SUNLIGHT. VACUUM REGULARLY USING LOW SUCTION. ROTATE REVERSIBLE CUSHIONS REGULARLY.

CLEANING:

DO NOT REMOVE CUSHION COVERS FOR SEPARATE
CLEANING EVEN THOUGH THEY HAVE ZIPPERS.
DO NOT WASH
DO NOT DRY CLEAN
DO NOT SHAMPOO
CLEAN CLEAN WITH HOT-WATER EXTRACTION MACHINE.
(HOT) PROFESSIONAL CLEANING RECOMMENDED DO NOT
USE DISHWASHING OR LAUNDRY
DETERGENTS
USE ONLY UPHOLSTERY DETERGENTS
DO NOT WET FILLING
DRY IN SHADE AWAY FROM DIRECT HEAT AND SUNLIGHT

SPOT CLEANING:

DO NOT RUB
DO NOT SPOT CLEAN WITH ANY SOLVENT.
TREAT SPILLS AND STAINS AS SOON AS POSSIBLE.
GENTLY SCRAPE ANY SOIL OR MOP ANY LIQUID
FROM THE SURFACE OF THE FABRIC.
APPLY PROPREITARY CLEANING AGENTS STRICTLY
ACCORDING TO INSTRUCTIONS TO REMOVE THE
RESIDUE OF THE SPILL.
DO NOT SATURATE THE FABRIC OR INTERIOR WITH
WATER OR OTHER CLEANING LIQUIDS.

ALLOW TO DRY THOROUGHLY BEFORE RE-USE

WARNING: APPLY ONLY WATER-BASED SOIL RESIST (FABRIC PROTECTION) TREATMENTS. DO NOT USE AEROSOL PRODUCTS.