



## ASSEMBLY INSTRUCTION


Nemo office Chair

ITEM CODE:53031

Imported by Amart Furniture Pty Ltd, Qld, Brisbane Australia.

For any assistance with assembly or for missing parts please phone

Amart Furniture Ewing Road, Customer Service Free call 1800 351 084



Imported by Amart Furniture Pty Ltd, Qld, Brisbane Australia.




For any assistance with assembly or for missing parts please

phone Amart Furniture Ewing Road, Customer Service Free call 1800 351 084


## PRE-ASSEMBLY PREPARATION

### Before you start :





1. Choose a clean, level, spacious assembly area. Avoid hard surfaces that may damage the product
2. Take care when lifting. Product should be assembled as near as possible to the point of use
3. Ensure that you have all required contents for complete assembly
4. Always read the assembly instructions carefully before beginning assembly.
5. Keep all hardware parts and packaging out of reach of small children.
6. Do not over tighten the screws and bolts as this may damage the threads

	
ALLOW 10 MINUTES	1 PEOPLE REQUIRED
	
ADDITIONAL TOOLS REQUIRED	

# PARTS LIST




1	BACK
2	BAR SUPPORT
3	SEAT
4	MECHANISM
5	GAS LIFT
6	GAS LIFT COVER
7	BASE
8	CASTOR

<p><b>A</b> bolt</p>  <p>4pcs M6x18mm</p>	<p><b>B</b> bolt</p>  <p>2pcs M6x25mm</p>	<p><b>C</b> plastic cover</p> 
<p><b>D</b> Allen key</p> 		


### STEP 1:

Insert castor (8) to base (7).




### STEP 2:

Put gas lift (5) into base (7) as instruction shown, then put gas lift cover (6) on gas lift (5).




### STEP 3:

Connect bar support (2) and back (1), using plastic C and bolt B, fasten with Allen Key D.




### STEP 4:

Separate mechanism (4) as instruction shown, then insert bar support (2) into mechanism (4) and connected using mechanism spare part 4-1, 4-2, 4-3, 4-4, 4-5, 4-6, 4-7.




### STEP 5:

Complete mechanism (4) using 4-8,4 -9.




### STEP 6:

Connect mechanism (4) and seat (3) using bolt A and fasten with Allen Key D.




### STEP 7:

Put back (3) on gas lift (5).



### STEP 8:

Assembly is complete.



## **CARE AND MAINTENANCE**

### **OFFICE CHAIR**

DO NOT REMOVE THIS LABEL

- DO NOT STAND ON THIS CHAIR-DO NOT USE THIS CHAIR AS STEP LADDER
- USE THIS PRODUCT ONLY FOR SEATING ONE PERSON AT A TIME
- DO NOT USE THIS CHAIR UNLESS ALL BOLTS, SCREWS AND KNOBS ARE FIRMLY SECURED.
- AT LEAST EVERY 4 MONTHS, CHECK ALL BOLTS, SCREWS AND KNOBS TO BE SURE THEY ARE TIGHT.
- IF PARTS ARE MISSING, BROKEN, DAMAGED OR WORN, STOP USE THE PRODUCT UNTIL REPAIRS ARE MADE. USING FACTORY AUTHORIZED PARTS.
- FAILURE TO FOLLOW THESE WARNINGS COULD RESULT IN SERIOUS INJURY.