



## ASSEMBLY INSTRUCTION

AG1 Gaming Chair

ITEM CODE 66360

Imported by Amart Furniture Pty Ltd, Qld, Brisbane Australia.

For any assistance with assembly or for missing parts please phone Amart Furniture, Customer Service Free call 1800 351 084





Imported by Amart Furniture Pty Ltd, Qld, Brisbane Australia.

For any assistance with assembly or for missing parts please phone Amart Furniture, Customer Service Free call 1800 351 084


## PRE-ASSEMBLY PREPARATION

### Before you start:



1. Choose a clean, level, spacious assembly area. Avoid hard surfaces that may damage the product
2. Take care when lifting. Product should be assembled as near as possible to the point of use
3. Ensure that you have all required contents for complete assembly
4. Always read the assembly instructions carefully before beginning assembly.
5. Keep all hardware parts and packaging out of reach of small children.
6. Do not over tighten the screws and bolts as this may damage the threads

	
ALLOW 20 MINUTES	PEOPLE REQUIRED
	
ADDITIONAL TOOLS REQUIRED	

# PARTS LIST




1	HEADREST
2	BACK
3	LUMBAR PILLOW
4	ARMREST(L)&(R)
5	REGULATOR
6	SEAT
7	MECHANISM
8	GAS LIFT COVER
9	GAS LIFT
10	BASE
11	CASTOR

<p><b>A</b></p> <p>Bolt</p>  <p>16pcs M8X20mm</p>	<p><b>B</b></p> <p>Bolt Rubber cover</p>  <p>2pcs M5X10mm</p>	<p><b>C</b></p> <p>Bolt Rubber cover</p>  <p>2pcs M5X8mm</p>
<p><b>D</b></p> <p>Allen key</p>  <p>1 PC</p>	<p><b>E</b></p> <p>Regulator housing</p>  <p>2 PCS</p>	


## STEP 1:

1. Insert castor (11) into base (10).
2. Put gas lift (9) into base (10), then put gas lift cover on gas lift as shown.




## STEP 2:

- Attach the mechanism (7) to the seat using bolt A and fasten with the Allen key D.




**STEP 3:**

Attach the armrest (4) to seat (6) using bolt A and fasten with the Allen key D.




**STEP 4:**

Attach the regulator (5) to the back (2) using bolt A. Then fasten with the Allen key D as shown.




### STEP 5:

Cover the cover E of regulator using Bolt B and Bolt C, and fasten with Cross wrench D, then cover bolt with rubber cover.




### STEP 6:

Put the chair mechanism ⑦ on the gas lift ⑨ as shown.




## STEP 7: Installation method for the top pillows and lower pillows.

### Top pillows installed




1. Pass both ends of the adjustment strap through the seat back hole.




2. Fasten both ends of the adjustment strap.



### Lower pillows installed



1. Move the adjustment strap across the back of the chair where it is attached to the seat.



2. Pull the adjustment strap and fasten it. Repeat the above operation for the second adjustment strap.

## STEP 8: ASSEMBLY IS COMPLETE



## CARE AND MAINTENANCE

### OFFICE CHAIR

DO NOT REMOVE THIS LABEL

- DO NOT STAND ON THIS CHAIR-DO NOT USE THIS CHAIR AS STEP LADDER.
- USE THIS PRODUCT ONLY FOR SEATING ONE PERSON AT A TIME.
- DO NOT USE THIS CHAIR UNLESS ALL BOLTS, SCREWS AND KNOBS ARE FIRMLY SECURED.
- AT LEAST EVERY 4 MONTHS, CHECK ALL BOLTS, SCREWS AND KNOBS TO BE SURE THEY ARE TIGHT.
- IF PARTS ARE MISSING, BROKEN, DAMAGED OR WORN, STOP USE THE PRODUCT UNTIL REPAIRS ARE MADE. USING FACTORY AUTHORIZED PARTS.
- FAILURE TO FOLLOW THESE WARNINGS COULD RESULT IN SERIOUS INJURY.