

ASSEMBLY INSTRUCTION HUBERT (TWO SEATER SOFA) ITEM CODE 81974/81975






Imported by JWA Furniture Pty Ltd, Qld, Brisbane Australia. For any assistance with assembly or for missing parts please refer to your receipt


PRE-ASSEMBLY PREPARATION

Before you start:


- 1. Choose a clean, level, spacious assembly area. Avoid hard surfaces that may damage the product
- 2. Take care when lifting. Product should be assembled as near as possible to the point of use
- 3. Ensure that you have all required contents for complete assembly
- 4. Always read the assembly instructions carefully before beginning assembly.
- 5. Keep all hardware parts and packaging out of reach of small children.
- 6. Do not over tighten the screws and bolts as this may damage the threads




PARTS LIST




Α	BACKREST (X1)
В	ARMREST (X2)
С	FRONT BOARD (X1)
D	SEATBOARD (X1)
E	SEAT CUSHION (X2)
F	BACK CUSHION (X2)




STEP 1: Align metal connectors on seat back (A) with the connectors on the left and right arm rests (B1/B2), push down firmly.




STEP 2: Attach metal brackets (2) with bolts(3) and tighten with allen key (4).




STEP 3: Attach bolts (3) to left and right armrest (B1/B2) 3-4 turns by hand. Hook the front board (C) onto the bolts then tighten with allen key (4).




STEP 4: Install the seat board (D) and install bolts (3) to secure. Tighten bolts with allen key (4).




STEP 5: Install wood leg (1) with bolts (3) and tighten with allen key (4).




STEP 6: Remove seat cushions (E1/E2) from vacuum and install. Allow seat cushions 24hrs to fully rebound and regain full volume.



STEP 7: Remove back cushions (F1/F2) from vacuum, fluff back cushions and install. Allow 24hrs to fully rebound and regain full volume.



ASSEMBLY IS COMPLETE



CAUTION:

ALWAYS LIFT YOUR SOFA WHEN MOVING/RELOCATING - DO NOT DRAG. DRAGGING CAN CAUSE THE CENTRE SUPPORT LEGS TO BEND/BREAK

CARE AND MAINTENANCE

REGULAR CARE:

- Protect from direct sunlight
- Vacuum regularly using low suction
- Rotate reversible cushions regularly
- Avoid exposure to new clothing, cushions or throws as this may lead to dye transfer and permanent staining

CLEANING:

- Do not remove cushion covers for separate cleaning even though they may have zippers
- Do not wash, Do not dry clean, Do not shampoo clean
- Clean only with hot water extraction machine. Professional cleaning recommended
- Do not use dishwashing liquid or laundry detergent. Use only upholstery detergents
- Do not wet filling
- Dry in shade away from direct heat and sunlight
- Allow to dry thoroughly before re-use

SPOT CLEANING:

- Do not rub
- Do not spot clean with any solvent
- Treat spills and stains as soon as possible
- Gently scrape off any soil or blot any liquid from the surface of the fabric before applying cleaner
- Apply proprietary cleaning agents strictly according to instructions to remove the residue of the spill
- Do not saturate the fabric or interior with water or other cleaning liquids

WARNING:

Apply only water-based soil resist (fabric protection) treatments. Do not use aerosol products

- * PILLING IS NOT A FABRIC DEFECT OR FAULT AND IS NOT COVERED BY WARRANTY
- * PILLING IS A NORMAL OCCURRENCE CAUSED BY WEAR AND TEAR AND DOES NOT AFFECT THE DURABILITY OR FUNCTIONALITY OF THE FABRIC AND IS EASILY REMOVED