


ASSEMBLY INSTRUCTIONS

NERINA

5PC Outdoor Dining Setting

ITEM CODE 82837



Imported by JWA Furniture Pty Ltd, Brisbane, QLD, Australia
For any assistance with assembly or for missing parts, please refer to your receipt

PRE-ASSEMBLY PREPARATION


Before you start:

1. Choose a clean, level, spacious assembly area. Avoid hard surfaces that may damage the product
2. Take care when lifting. Product should be assembled as near as possible to the point of use
3. Ensure that you have all required contents for complete assembly
4. Always read the assembly instructions carefully before beginning assembly.
5. Keep all hardware parts and packaging out of reach of small children.
6. Do not over tighten the screws and bolts as this may damage the threads
7. Assembly is to be carried out by a competent adult(s) ONLY
8. During assembly, children should be kept away from the product due to possible risk to injury.
9. Do not use this item if any components are missing or damaged.
10. Please keep the instructions for future reference.





		
Allow 60min	For 2 person	You will need a tape measure.


PARTS LIST

Single chair





X2


1. Right arm  2pcs	2. Left arm  2pcs
3. Seat  2pcs	4. Backrest  2pcs

A. Bolt  M6*35 4pcs	B. Bolt  M6*25 8pcs	C. Bolt  M6*15 8pcs
D. Washer  20pcs	E. Allen Key  M6 1pc	

Part A: Single chair


You will need the following

2.	Left arm		1pc	3.	Seat		1pc
----	----------	---	-----	----	------	---	-----

A.	Bolt		M6*35mm	1pc	C.	Bolt		M6*15	2pcs	D.	Washer		3pcs	E.	Allen Key		M6	1pc
----	------	---	---------	-----	----	------	---	-------	------	----	--------	--	------	----	-----------	---	----	-----


Step 1.

- Attach Left arm(2) to the Seat(3) using bolts(C) with washer(D).
Attach Left arm(2) to the Seat(3) using bolts(A) with washer(D).
- Insert all bolts before fully tightening.
- Tighten with allen key (E)



Part A: Single chair


You will need the following



A. Bolt  M6*35mm 1pc	C. Bolt  M6*15 2pcs	D. Washer  3pcs	E. Allen Key  M6 1pc
--	---	--	--



Step 2.

- Attach Left arm(2) to the Seat(3) using bolts(C) with washer(D).
- Attach Left arm(2) to the Seat(3) using bolts(A) with washer(D).
- Insert all bolts before fully tightening.
- Tighten with allen key (E)




Part A: Single chair

You will need the following




Step 3.

- Attach the Backrest (4) to left arm(2) and right arm(1) using bolt(B) with washer (D) .
- Insert all bolts before fully tightening.
- Tighten with allen key (E)




Part A: Single Chair

Assembly is complete







PARTS LIST

Footstool




X2

5. Leg  4pcs	6. Seat  2pcs
7. Connect tube  4pcs	

B. Bolt  M6*25 8pcs	C. Bolt  M6*15 16pcs
D. Washer  24pcs	E. Allen Key  M6 1pc

Part B: Footstool


You will need the following

5.	Leg		2pcs	6.	Seat		1pc
----	-----	---	------	----	------	--	-----

B.	Bolt		M6*25mm	4pcs	D.	Washer		4pcs	E.	Allen Key		M6	1pc
----	------	---	---------	------	----	--------	---	------	----	-----------	---	----	-----



Step 1.

- Attach Leg (5) to the Seat(6) using bolts(B) with washer(D) .
- Insert all bolts before fully tightening.
- Tighten with allen key (E)




Part B: Footstool

You will need the following




Step 2.

- Attach Connect tube(7) to the Leg(5) using bolts(C) with washer(D) .
- Insert all bolts before fully tightening.
- Tighten with allen key (E)





Part B: Footstool


Assembly is complete



PARTS LIST Table





8. Top-frame  1pc	9. Leg  2pcs
10. Mid Support  1pc	11. Glass  1pc

B. Bolt  M6*25 5pcs	C. Bolt  M6*15 4pcs
D. Washer  9pcs	E. Allen Key  M6 1pc

Part C: Table


You will need the following

8.	Top-frame	1pc	9.	Leg	2pcs
					

B.	Bolt	D.	Washer	E.	Allen Key
					
	M6*25mm 4pcs		4pcs		M6 1pc


Step 1.

- Attach Leg (9) to the Top-frame(8) using bolts(B) with washer(D) .
- Insert all bolts before fully tightening.
- Tighten with allen key (E)



Part C: Table


You will need the following



C. Bolt  M6*15mm 4pcs	B. Bolt  M6*25mm 1pc	D. Washer  5pcs	E. Allen Key  M6 1pc
---	--	---	--


Step 2.

- Attach Mid Support(10) to the Leg (9) using bolts(C) with washer(D) .
- Attach Mid Support (10) to the Top-frame (8) using bolts(B) with washer(D) .
- Insert all bolts before fully tightening.
- Tighten with allen key (E)




Part C: Table

You will need the following




Step 3.

- Place the tempered glass(11) into the Top-frame .



Part C: Table

Assembly is complete



PRODUCT CARE:

Metal

- ☒ Item is designed for use outdoors. However we do not recommend leaving this product outside when not in use. To preserve the life of this item, avoid prolonged exposure to the elements & store inside/under cover or use an outdoor cover.
- ☒ DO NOT allow the furniture to be left in the rain or left wet for extended periods of time.
- ☒ Wipe furniture Dry immediately after it becoming wet.
- ☒ DO NOT clean your furniture down with any harsh solvents, abrasives or chemicals.
- ☒ To remove dirt and grime, simply rinse with fresh water or periodically clean using a sponge and mild detergent solution as required

Glass

- ☒ If the glass is chipped or broken, stop using the product and consult place of purchase .
- ☒ Do not drop, drag or strike glass .
- ☒ Do not sit or stand upon the glass surface .
- ☒ Do not place very hot or cold items on the glass surface unless adequately thick table mats are used to prevent such items coming in contact with the glass .
- ☒ Do not place heavy objects on glass .
- ☒ Avoid scratching the glass or using as a chopping surface .
- ☒ Do not strike the glass with hard or pointed items .
- ☒ When cleaning the glass panels use a damp cloth with washing up liquid or soft soap if necessary. Do not use washing powders or any other substances containing abrasives since these may scratch the glass.