


ASSEMBLY INSTRUCTION
FOY FABRIC CORNER LHF CHAISE
ITEM CODE 84052

Imported by Amart Furniture Pty Ltd, Qld, Brisbane Australia.
For any assistance with assembly or for missing parts please phone
Amart Furniture Ewing Road, Customer Service Free call 1800 791 390




Imported by Amart Furniture Pty Ltd, Qld, Brisbane Australia.
For any assistance with assembly or for missing parts please phone
Amart Furniture Ewing Road, Customer Service Free call 1800 791 390


PRE-ASSEMBLY PREPARATION

Before you start:




1. Choose a clean, level, spacious assembly area. Avoid hard surfaces that may damage the product
2. Take care when lifting. Product should be assembled as near as possible to the point of use
3. Ensure that you have all required contents for complete assembly
4. Always read the assembly instructions carefully before beginning assembly.
5. Keep all hardware parts and packaging out of reach of small children.
6. Do not over tighten the screws and bolts as this may damage the threads





PARTS LIST







Hardware

HARDWARE LIST			
NO.	DESCRIPTION		QTY
A	Sofa Legs		2 PCS
B	Sofa Legs		2 PCS
C	screw		10 PCS



PART I

HARDWARE LIST			
NO.	DESCRIPTION		QTY
A	Sofa Legs		4 PCS
C	screw		8 PCS

PART II

HARDWARE LIST			
NO.	DESCRIPTION		QTY
A	Sofa Legs		2 PCS
B	Sofa Legs		2 PCS
C	screw		11 PCS
D	Support Leg		1 PCS

PART III

HARDWARE LIST			
NO.	DESCRIPTION		QTY
A	Sofa Legs		4 PCS
C	screw		8 PCS

PART IV

PLEASE TAKE NOTE:


PIECES REQUIRE FOR ASSEMBLY ARE LOCATED INSIDE THE DUST COVER UNDERNEATH SOFA

ASSEMBLY


Step 1

DETAILS - Align base plate of each foot (A and B) in the undersides of the sofa as shown in the below diagram. Insert Bolt (C) and tighten by turning clockwise using screwdriver

PART I



Step 2 PART I ASSEMBLY COMPLETED




ASSEMBLY


Step 3

DETAILS - Align base plate of each foot (B) in the undersides of the sofa as shown in the below diagram. Insert Bolt (C) and tighten by turning clockwise using screwdriver

PART II



Step 4 PART II ASSEMBLY COMPLETED




ASSEMBLY


Step 5

DETAILS - Align base plate of each foot (A and B and D) in the undersides of the sofa as shown in the below diagram. Insert Bolt (C) and tighten by turning clockwise using screwdriver

PART III



Step 6 PART III ASSEMBLY COMPLETED




ASSEMBLY


Step 7

DETAILS - Align base plate of each foot (B) in the undersides of the sofa as shown in the below diagram. Insert Bolt (C) and tighten by turning clockwise using screwdriver



PART IV



Step 8 PART IV ASSEMBLY COMPLETED



ASSEMBLY



Product Care for Fabric Items

REGULAR CARE:

- Protect from direct sunlight
- Vacuum regularly using low suction
- Rotate reversible cushions regularly

CLEANING:

- Do not remove cushion covers for separate cleaning even though they may have zippers
- Do not wash, Do not dry clean, Do not shampoo clean
- Clean with hot water extraction machine. Professional cleaning recommended
- Do not use dishwashing liquid or laundry detergent
- Use only upholstery detergents
- Do not wet filling
- Dry in shade away from direct heat and sunlight
- Allow to dry thoroughly before re-use

SPOT CLEANING:

- Do not rub
- Do not spot clean with any solvent
- Treat spills and stains as soon as possible
- Gently scrape off any soil or mop any liquid from the surface of the fabric
- Apply proprietary cleaning agents strictly according to instructions to remove the residue of the spill
- Do not saturate the fabric or interior with water or other cleaning liquids

WARNING:

Apply only water-based soil resist (fabric protection) treatments. Do not use aerosol products

*** PILLING IS NOT A FABRIC DEFECT OR FAULT AND IS NOT COVERED BY WARRANTY**

*** PILLING IS A NORMAL OCCURRENCE CAUSED BY WEAR AND TEAR AND DOES NOT AFFECT THE DURABILITY OR FUNCTIONALITY OF THE FABRIC AND IS EASILY REMOVED**