

ASSEMBLY INSTRUCTION

IMOLA
Gaming Chair
ITEM CODE 85532




Imported by JWA Furniture Pty Ltd, Qld, Brisbane Australia.
For any assistance with assembly or for missing parts please refer to your receipt




PRE-ASSEMBLY PREPARATION

Before you start:


1. Choose a clean, level, spacious assembly area. Avoid hard surfaces that may damage the product
2. Take care when lifting. Product should be assembled as near as possible to the point of use
3. Ensure that you have all required contents for complete assembly
4. Always read the assembly instructions carefully before beginning assembly.
5. Keep all hardware parts and packaging out of reach of small children.
6. Do not over tighten the screws and bolts as this may damage the threads
7. Assembly is to be carried out by a competent adult(s) ONLY
8. During assembly, children should be kept away from the product due to possible risk to injury.
9. Do not use this item if any components are missing or damaged.
10. Please keep the instructions for future reference.

		
Allow 15 min	For 1 person	Additional tools required

PARTS LIST


A  X4 M6X20mm	B  X3 M6X35mm	C  X4 M8X30mm	D  X7	E  X4	F  X1	G  X2
--	--	--	---	--	---	---

1	BACK	5	GAS LIFT
2	ARMREST (L)&(R)	6	GAS LIFT COVER
3	SEAT	7	BASE
4	MECHANISM	8	CASTOR
9	HEADREST PILLOW	10	LUMBAR PILLOW




STEP 1:

Push castors 8 into place in wheel base 7. Turn and apply pressure at the same time to each castor until it slots into place.




STEP 2:

Put gas lift 5 into base 7. Ensure part 5 is secure and unable to be removed. Then put gas lift cover 6 on gas lift as shown.




STEP3:

Attach mechanism 4 to seat 3 using blot A and washer D,fasten with the Allen key G.




STEP4:

Put the chair mechanism 4 on the gas lift 5 as shown.




STEP5:

Attach F to chair back 1 using bolts B and washer D, fasten with Alley Key G.





STEP6:

Insert assembled chair back 1 to mechanism 4.



STEP7:

Attach armrest 2 to seat 3 and back using bolts C, fasten with the Allen key G.




STEP8:

Put rubber plug 4 into the armrest bolt holes.



STEP9:

Move the adjustment strap of lumbar pillow 10 across the back of the chair where it is attached to the seat. Pull the adjustment strap and fasten it.




STEP10:

Pass both ends of the adjustment strap of headrest pillow 9 through the back hole. Fasten both ends of the adjustment strap.



STEP11:

Assembly is complete.



CARE AND MAINTENANCE

OFFICE CHAIR

DO NOT REMOVE THIS LABEL

- **DO NOT STAND ON THIS CHAIR-DO NOT USE THIS CHAIR AS STEP LADDER.**
- **USE THIS PRODUCT ONLY FOR SEATING ONE PERSON AT A TIME.**
- **DO NOT USE THIS CHAIR UNLESS ALL BOLTS, SCREWS AND KNOBS ARE FIRMLY SECURED.**
- **AT LEAST EVERY 4 MONTHS, CHECK ALL BOLTS, SCREWS AND KNOBS TO BE SURE THEY ARE TIGHT.**
- **IF PARTS ARE MISSING, BROKEN, DAMAGED OR WORN, STOP USE THE PRODUCT UNTIL REPAIRS ARE MADE. USING FACTORY AUTHORIZED PARTS.**
- **FAILURE TO FOLLOW THESE WARNINGS COULD RESULT IN SERIOUS INJURY.**