

ASSEMBLY INSTRUCTION

ZANDVOORT
Gaming Chair
ITEM CODE 85544



Imported by JWA Furniture Pty Ltd, Qld, Brisbane Australia.
For any assistance with assembly or for missing parts please refer to your receipt


PRE-ASSEMBLY PREPARATION

Before you start:


1. Choose a clean, level, spacious assembly area. Avoid hard surfaces that may damage the product
2. Take care when lifting. Product should be assembled as near as possible to the point of use
3. Ensure that you have all required contents for complete assembly
4. Always read the assembly instructions carefully before beginning assembly.
5. Keep all hardware parts and packaging out of reach of small children.
6. Do not over tighten the screws and bolts as this may damage the threads
7. Assembly is to be carried out by a competent adult(s) **ONLY**
8. During assembly, children should be kept away from the product due to possible risk to injury.
9. Do not use this item if any components are missing or damaged.
10. Please keep the instructions for future reference.

		  
Allow 15 min	For 1 person	Additional tools required

PARTS LIST




1	BACK	6	BASE
2	ARMREST (L)&(R)	7	CENTER PLATE
3	SEAT	8	CASTOR
4	MECHANISM	9	PLASTIC COVER FOR BASE
5	GAS LIFT	10	HEADREST PILLOW
11	LUMBAR PILLOW		



STEP1:


Put base 6 into center plate 7, using bolt E and fasten with Alley Key I.

Ex10




STEP2:

Put castors 8 into base 6.




STEP3:

Put gas lift 5 into center plate 7.




STEP4:

Put P into the gap of O as shown, using bolt B and E, fasten with Alley Key I.




STEP5:

Attach L to seat 3, using bolt C and fasten with Allen Key I.




STEP6:

Attach mechanism 4 to seat 3, using bolt A and fasten with Allen Key I.




STEP7:

Attach armrest 2 to seat 3, using bolt A and fasten with Allen Key I.




STEP8:

1. Attach Q to R, using bolt D and fasten with Allen Key I.
2. Pass R through L, using bolt A and washer F and fasten with Allen Key I.




STEP9:

Attach M and N to chair back and seat, using bolt A and washer F, fasten with Allen Key I.




STEP10:

Cover J to M and K to N, using bolt H and G, fasten with Allen Key I.




STEP11:

Put chair mechanism 4 on gas lift 5 as shown.




STEP12:

Move the adjustment strap of lumbar pillow 11 across the back of the chair where it is attached to the seat. Pull the adjustment strap and fasten it.




STEP11:

Pass both ends of the adjustment strap of headrest pillow 10 through the back hole. Fasten both ends of the adjustment strap.



STEP12:

Assembly is complete.



CARE AND MAINTENANCE

OFFICE CHAIR

DO NOT REMOVE THIS LABEL

- DO NOT STAND ON THIS CHAIR-DO NOT USE THIS CHAIR AS STEP LADDER.
- USE THIS PRODUCT ONLY FOR SEATING ONE PERSON AT A TIME.
- DO NOT USE THIS CHAIR UNLESS ALL BOLTS, SCREWS AND KNOBS ARE FIRMLY SECURED.
- AT LEAST EVERY 4 MONTHS, CHECK ALL BOLTS, SCREWS AND KNOBS TO BE SURE THEY ARE TIGHT.
- IF PARTS ARE MISSING, BROKEN, DAMAGED OR WORN, STOP USE THE PRODUCT UNTIL REPAIRS ARE MADE. USING FACTORY AUTHORIZED PARTS.
- FAILURE TO FOLLOW THESE WARNINGS COULD RESULT IN SERIOUS INJURY.