



ASSEMBLY INSTRUCTION
LONG GAMING CHAIR
ITEM CODE 86994




Imported by JWA Furniture Pty Ltd, Qld, Brisbane Australia.
For any assistance with assembly or for missing parts please refer to your receipt


PRE-ASSEMBLY PREPARATION

Before you start:




1. Choose a clean level, spacious assembly area. Avoid hard surfaces that may damage the product
2. Take care when lifting. Product should be assembled as near as possible to the point of use
3. Ensure that you have all required contents for complete assembly
4. Always read the assembly instructions carefully before beginning assembly.
5. Keep all hardware parts and packaging out of reach of small children.
6. Do not over tighten the screws and bolts as this may damage the threads




PARTS LIST




A	BACKREST
B	ARMREST
C	SEAT CUSHION
D	FOOTREST
E	MECHANISM
F	HEAD PILLOW
G	WAIST PILLOW
H	BASE
I	CASTOR

 A*1pc 75*49*14cm	 B*2pc 42*15*7cm	 C*1pc 52*48*15cm	 D*1pc 33*20*5cm
 E*1pc 33*25*6cm	 F*1pc 27*16*9cm	 G*1pc 33*19*6cm	 H*1pc 320mm
 I*5pc 50mm	 J*1pc 100mm	 K*1pc 100mm	 L*1pc 375mm
 M*2pc 12*3*4cm	 N*1pc 28*27cm	 O*1pc M5*16mm	 P*4pc M6*20mm
 Q*4pc M6*25mm	 R*3pc M6*35mm	 S*4pc M8*30mm	 U*1pc 70*70mm
 W*2pc M6*30mm			


STEP 1: Fix castors I to base H, (turn over the base and push castors to each hole), fix gaslift J to the middle part of base H, Cover gaslift with dust cover K.




STEP 2: Fix M to seat C with bolts Q using allen key U.




STEP 3: Fix foot rest D to holder L with bolts w wiht allen key U, then fix holder L to M with tapping screw O.




STEP 4: Fix mechanism E to seat C with bolts P using allen key U.




STEP 5: Fix mechanism E underneath of seat C to gaslift J, push middle part of seat C to make sure mechanism E well fit to gaslift K.




STEP 6 : Fix T holder N to backrest A with bolts R with allen key U.






STEP 7: Insert part N of back rest to mechanism E, tighten by knob of mechanism, make sure it fit well to the mechanism.



STEP 8: Fix armrest B to backrest A and Seat C with bolts S using allen key U.



STEP 9: Fix head pillow F and waist Pillow G to the back rest as drawing.



ASSEMBLY IS COMPLETE

CARE AND MAINTENANCE

REGULAR CARE:

- Protect from direct sunlight
- Vacuum regularly using low suction
- Rotate reversible cushions regularly
- Avoid exposure to new clothing, cushions or throws as this may lead to dye transfer and permanent staining

CLEANING:

- Do not remove cushion covers for separate cleaning even though they may have zippers
- Do not wash, Do not dry clean, Do not shampoo clean
- Clean only with hot water extraction machine. Professional cleaning recommended
- Do not use dish washing liquid or laundry detergent. Use only upholstery detergents
- Do not wet filling
- Dry in shade away from direct heat and sunlight
- Allow to dry thoroughly before re-use

SPOT CLEANING:

- Do not rub
- Do not spot clean with any solvent
- Treat spills and stains as soon as possible
- Gently scrape off any soil or blot any liquid from the surface of the fabric before applying cleaner
- Apply proprietary cleaning agents strictly according to instructions to remove the residue of the spill
- Do not saturate the fabric or interior with water or other cleaning liquids

WARNING:

Apply only water-based soil resist (fabric protection) treatments. Do not use aerosol products

* PILLING IS NOT A FABRIC DEFECT OR FAULT AND IS NOT COVERED BY WARRANTY

* PILLING IS A NORMAL OCCURRENCE CAUSED BY WEAR AND TEAR AND DOES NOT AFFECT THE DURABILITY OR FUNCTIONALITY OF THE FABRIC AND IS EASILY REMOVED

Do not:

- Use this product as a step stool or ladder
- Failure to follow this warning could result in injury